

List of Tables

TABLE 1. USUAL ¹ DAILY ENERGY INTAKES FROM FOOD SOURCES BY SEX AND AGE (EXPRESSED AS KILOCALORIES (KCAL)/D), ONTARIO, 2004.....	34
TABLE 2. DISTRIBUTION OF ENERGY DERIVED FROM CARBOHYDRATE, TOTAL FAT, AND PROTEIN FOR THE ADULT POPULATION, BY SEX AND AGE (EXPRESSED AS A PERCENTAGE (%) OF ENERGY), ONTARIO, 2004.....	35
TABLE 3. DISTRIBUTION AND MEAN VALUE OF ENERGY DERIVED FROM CARBOHYDRATE, TOTAL FAT, AND PROTEIN FOR THE CHILD AND ADOLESCENT POPULATION, BY SEX AND AGE (EXPRESSED AS A PERCENTAGE (%) OF ENERGY), ONTARIO, 2004.....	36
TABLE 4. USUAL DAILY CARBOHYDRATE INTAKES FROM FOOD SOURCES BY SEX AND AGE (EXPRESSED AS G/D), ONTARIO, 2004.....	38
TABLE 5. USUAL DAILY PROTEIN INTAKES FROM FOOD SOURCES BY SEX AND AGE (EXPRESSED AS G/KG/D), ONTARIO, 2004 ¹	39
TABLE 6. USUAL DAILY FAT INTAKES AND FIBRE INTAKES FROM FOOD SOURCES BY SEX AND AGE (EXPRESSED AS G/D), ONTARIO, 2004.....	40
TABLE 7. USUAL DAILY FOLATE INTAKES FROM FOOD SOURCES BY SEX AND AGE (EXPRESSED AS DIETARY FOLATE EQUIVALENTS (DFE ¹)/D), ONTARIO, 2004.....	41
TABLE 8. USUAL DAILY NIACIN INTAKES FROM FOOD SOURCES BY SEX AND AGE (EXPRESSED AS NIACIN EQUIVALENTS (NE ¹)/D), ONTARIO, 2004.....	42
TABLE 9. USUAL DAILY RIBOFLAVIN INTAKES FROM FOOD SOURCES BY SEX AND AGE (EXPRESSED AS MG/D), ONTARIO, 2004.....	43
TABLE 10. USUAL DAILY THIAMIN INTAKES FROM FOOD SOURCES BY SEX AND AGE (EXPRESSED AS MG/D), ONTARIO, 2004.....	44
TABLE 11. USUAL DAILY VITAMIN B6 INTAKES FROM FOOD SOURCES BY SEX AND AGE (EXPRESSED AS MG/D), ONTARIO, 2004.....	45
TABLE 12. USUAL DAILY VITAMIN B12 INTAKES FROM FOOD SOURCES BY SEX AND AGE (EXPRESSED AS MG/D), ONTARIO, 2004.....	46
TABLE 13. USUAL DAILY VITAMIN C INTAKES FROM FOOD SOURCES BY SEX AND AGE (EXPRESSED AS MG/D),	

ONTARIO, 2004.....	47
TABLE 14. USUAL DAILY VITAMIN A INTAKES FROM FOOD SOURCES BY SEX AND AGE (EXPRESSED AS RETINOL ACTIVITY EQUIVALENTS (RAE ¹)/D), ONTARIO, 2004.....	48
TABLE 15. USUAL DAILY VITAMIN D INTAKES FROM FOOD SOURCES BY SEX AND AGE (EXPRESSED AS MG/D), ONTARIO, 2004.....	49
TABLE 16. USUAL DAILY CALCIUM INTAKES FROM FOOD SOURCES BY SEX AND AGE (EXPRESSED AS MG/D), ONTARIO, 2004.....	50
TABLE 17. USUAL DAILY PHOSPHORUS INTAKES FROM FOOD SOURCES BY SEX AND AGE (EXPRESSED AS MG/D), ONTARIO, 2004.....	51
TABLE 18. USUAL DAILY MAGNESIUM INTAKES FROM FOOD SOURCES BY SEX AND AGE (EXPRESSED AS MG/D), ONTARIO, 2004.....	52
TABLE 19. USUAL DAILY IRON INTAKES FROM FOOD SOURCES BY SEX AND AGE (EXPRESSED AS MG/D), ONTARIO, 2004.....	53
TABLE 20. USUAL DAILY ZINC INTAKES FROM FOOD SOURCES BY SEX AND AGE (EXPRESSED AS MG/D), ONTARIO, 2004.....	54
TABLE 22. USUAL DAILY SODIUM INTAKES FROM FOOD SOURCES BY SEX AND AGE (EXPRESSED AS MG/D), ONTARIO, 2004.....	56
TABLE 23. REGRESSION RESULTS (MODEL 1) FOR MEN AND WOMEN, 19 YEARS OF AGE OR OLDER.	57
TABLE 24. REGRESSION RESULTS (MODEL 2) FOR MEN AND WOMEN, 19 YEARS OF AGE OR OLDER.	58
TABLE 25. REGRESSION RESULTS (MODEL 1) FOR BOYS AND GIRLS 9 TO 18 YEARS OF AGE.....	59
TABLE 26. REGRESSION RESULTS (MODEL 2) FOR BOYS AND GIRLS, 9 TO 18 YEARS OF AGE.....	60
TABLE 27A. SOUTH WEST ONTARIO HEALTH REGION: MEAN ¹ (\pm SEM) INTAKES FOR VITAMIN A, FOLATE, VITAMIN B6, VITAMIN C, CALCIUM, AND IRON, BY AGE AND SEX.....	61
TABLE 27B. SOUTH WEST ONTARIO HEALTH REGION: MEAN ¹ (\pm SEM) INTAKES FOR MAGNESIUM, ZINC, PERCENT FAT, PERCENT CARBOHYDRATE, PERCENT PROTEIN, AND TOTAL ENERGY, BY AGE AND SEX.	62
TABLE 28A. CENTRAL SOUTH ONTARIO HEALTH REGION: MEAN ¹ (\pm SEM) INTAKES FOR VITAMIN A, FOLATE, VITAMIN B6, VITAMIN C, CALCIUM, AND IRON, BY AGE AND SEX.	63

TABLE 28B. CENTRAL SOUTH ONTARIO HEALTH REGION: MEAN ¹ (\pm SEM) INTAKES FOR MAGNESIUM, ZINC, PERCENT FAT, PERCENT CARBOHYDRATE, PERCENT PROTEIN, AND TOTAL ENERGY, BY AGE AND SEX.	64
TABLE 29A. CENTRAL WEST ONTARIO HEALTH REGION: MEAN ¹ (\pm SEM) INTAKES FOR VITAMIN A, FOLATE, VITAMIN B6, VITAMIN C, CALCIUM, AND IRON, BY AGE AND SEX.	65
TABLE 29B. CENTRAL WEST ONTARIO HEALTH REGION: MEAN ¹ (\pm SEM) INTAKES FOR MAGNESIUM, ZINC, PERCENT FAT, PERCENT CARBOHYDRATE, PERCENT PROTEIN, AND TOTAL ENERGY, BY AGE AND SEX.	66
TABLE 30A. CENTRAL EAST ONTARIO HEALTH REGION: MEAN ¹ (\pm SEM) INTAKES FOR VITAMIN A, FOLATE, VITAMIN B6, VITAMIN C, CALCIUM, AND IRON, BY AGE AND SEX.	67
TABLE 30B. CENTRAL EAST ONTARIO HEALTH REGION: MEAN ¹ (\pm SEM) INTAKES FOR MAGNESIUM, ZINC, PERCENT FAT, PERCENT CARBOHYDRATE, PERCENT PROTEIN, AND TOTAL ENERGY, BY AGE AND SEX.	68
TABLE 31A. TORONTO HEALTH REGION: MEAN ¹ (\pm SEM) INTAKES FOR VITAMIN A, FOLATE, VITAMIN B6, VITAMIN C, CALCIUM, AND IRON, BY AGE AND SEX.	69
TABLE 31B. TORONTO HEALTH REGION: MEAN ¹ (\pm SEM) INTAKES FOR MAGNESIUM, ZINC, PERCENT FAT, PERCENT CARBOHYDRATE, PERCENT PROTEIN, AND TOTAL ENERGY, BY AGE AND SEX.	70
TABLE 32A. EAST ONTARIO HEALTH REGION: MEAN ¹ (\pm SEM) INTAKES FOR VITAMIN A, FOLATE, VITAMIN B6, VITAMIN C, CALCIUM, AND IRON, BY AGE AND SEX.	71
TABLE 32B. EAST ONTARIO HEALTH REGION: MEAN ¹ (\pm SEM) INTAKES FOR MAGNESIUM, ZINC, PERCENT FAT, PERCENT CARBOHYDRATE, PERCENT PROTEIN, AND TOTAL ENERGY, BY AGE AND SEX.	72
TABLE 33A. NORTH ONTARIO HEALTH REGION: MEAN ¹ (\pm SEM) INTAKES FOR VITAMIN A, FOLATE, VITAMIN B6, VITAMIN C, CALCIUM, AND IRON, BY AGE AND SEX.	73
TABLE 33B. NORTH ONTARIO HEALTH REGION: MEAN ¹ (\pm SEM) INTAKES FOR MAGNESIUM, ZINC, PERCENT FAT, PERCENT CARBOHYDRATE, PERCENT PROTEIN, AND TOTAL ENERGY, BY AGE AND SEX.	74
TABLE 34. PAST-MONTH VITAMIN AND MINERAL SUPPLEMENTS CONSUMPTION, BY AGE GROUP AND SEX, HOUSEHOLD POPULATION AGED 1 YEAR AND OVER, ONTARIO, 2004.	75

TABLE 35. BODY MASS INDEX AND ASSOCIATED LEVELS OF RISK FOR INDIVIDUALS 18 YEARS OF AGE AND OLDER.....	76
TABLE 36. PERCENTAGE DISTRIBUTION OF POPULATION AGED 18 AND OLDER, BY SEX AND BODY MASS INDEX (BMI) [†] CATEGORY, ONTARIO, 2004.....	79
TABLE 37. PERCENTAGE NORMAL, OVERWEIGHT, AND OBESE, BY SELECTED SOCIO-DEMOGRAPHIC CHARACTERISTICS, MALE POPULATION AGED 18 OR OLDER, ONTARIO, 2004.....	82
TABLE 38. PERCENTAGE NORMAL, OVERWEIGHT, AND OBESE, BY SELECTED SOCIO-DEMOGRAPHIC CHARACTERISTICS, FEMALE POPULATION AGED 18 OR OLDER, ONTARIO, 2004.....	86
TABLE 39. PERCENTAGE NORMAL, OVERWEIGHT, AND OBESE, BY SELECTED LIFESTYLE CHARACTERISTICS, MALE POPULATION AGED 18 OR OLDER, ONTARIO, 2004 ¹	88
TABLE 40. PERCENTAGE NORMAL, OVERWEIGHT, AND OBESE, BY SELECTED LIFESTYLE CHARACTERISTICS, FEMALE POPULATION AGED 18 OR OLDER, ONTARIO, 2004 ¹	89
TABLE 41. PERCENTAGE OVERWEIGHT AND OBESE, BY SELECTED SOCIO-DEMOGRAPHIC CHARACTERISTICS, POPULATION AGED 2 TO 17, ONTARIO, 2004.....	91
TABLE 42. PERCENTAGE OVERWEIGHT AND OBESE, BY SELECTED LIFESTYLE CHARACTERISTICS, POPULATION AGED 6 TO 11, ONTARIO, 2004 ¹	94
TABLE 43. PERCENTAGE OVERWEIGHT AND OBESE, BY SELECTED LIFESTYLE CHARACTERISTICS, POPULATION AGED 12 TO 17, ONTARIO, 2004 ¹	96
TABLE 44. ADJUSTED ODDS RATIOS FOR ONTARIO POPULATION, AGED 18 TO 65 YEARS, OF HAVING A BMI IN THE ‘OBESE’ OR ‘OVERWEIGHT’ CATEGORY, COMPARED TO THE ‘NORMAL’ CATEGORY, BY SELECTED SOCIO-DEMOGRAPHIC AND BEHAVIOURAL CHARACTERISTICS, 2004.	106
TABLE 45. ADJUSTED ODDS RATIOS FOR ONTARIO POPULATION AGED 18 YEARS AND OLDER OF HAVING A BMI IN THE ‘OBESE’ OR ‘OVERWEIGHT’ CATEGORY, COMPARED TO THE ‘NORMAL’ CATEGORY, BY SELECTED SOCIO-DEMOGRAPHIC AND BEHAVIOURAL CHARACTERISTICS, 2004.....	108
TABLE 46. ADJUSTED ODDS RATIOS FOR ONTARIO POPULATION, OVER 65 YEARS OF AGE, OF HAVING A BMI IN THE ‘OBESE’ OR ‘OVERWEIGHT’ CATEGORY, COMPARED TO THE ‘NORMAL’ CATEGORY, BY SELECTED SOCIO-DEMOGRAPHIC AND BEHAVIOURAL CHARACTERISTICS, 2004.	110
TABLE 47. ADJUSTED ODDS RATIOS FOR ONTARIO POPULATION, YOUTHS AGED 2 TO 17 YEARS, OF HAVING A	

BMI IN THE ‘OBESE’ OR ‘OVERWEIGHT’ CATEGORY, COMPARED TO THE ‘NEITHER OVERWEIGHT NOR OBESE’ CATEGORY, BY SELECTED SOCIO-DEMOGRAPHIC CHARACTERISTICS, 2004.....	112
TABLE 48. ADJUSTED ODDS RATIOS FOR ONTARIO POPULATION, AGED 6 TO 11 YEARS, OF HAVING A BMI IN THE ‘OBESE’ OR ‘OVERWEIGHT’ CATEGORY, COMPARED TO THE ‘NEITHER OVERWEIGHT NOR OBESE’ CATEGORY, BY SELECTED SOCIO-DEMOGRAPHIC AND BEHAVIOURAL CHARACTERISTICS, 2004.	114
TABLE 49. ADJUSTED ODDS RATIOS FOR ONTARIO POPULATION, AGED 12 TO 17 YEARS, OF HAVING A BMI IN THE ‘OBESE’ OR ‘OVERWEIGHT’ CATEGORY, COMPARED TO THE ‘NEITHER OVERWEIGHT NOR OBESE’ CATEGORY, BY SELECTED SOCIO-DEMOGRAPHIC AND BEHAVIOURAL CHARACTERISTICS, 2004.	116
TABLE 50. DETERMINATION OF FOOD SECURITY STATUS IN CCHS 2.2 (2004).....	120
TABLE 51. INCOME-RELATED HOUSEHOLD FOOD SECURITY, BY HEALTH REGION, ONTARIO, 2004.	123
TABLE 52. SELECTED SOCIO-DEMOGRAPHIC CHARACTERISTICS OF ONTARIO HOUSEHOLDS BY FOOD SECURITY STATUS, 2004.	127
TABLE 53. RATES OF FOOD INSECURITY BY SELECTED SOCIO-DEMOGRAPHIC VARIABLES: ONTARIO AND CANADA ¹	129
TABLE 54. HOUSEHOLD FOOD SECURITY STATUS BY MAIN SOURCE OF HOUSEHOLD INCOME, ONTARIO, 2004.	130
TABLE 55. BODY WEIGHT STATUS, BASED ON MEASURED HEIGHT AND WEIGHT, BY CATEGORIES OF INCOME-RELATED HOUSEHOLD FOOD SECURITY, ONTARIO, 2004.	132
TABLE D1. NUMBER OF SECOND DIETARY RECALLS BY DRI GROUP	160
TABLE E1. EASILY RESOLVED SIDE PROBLEMS.	161
TABLE E2. EFFECT OF SIDE MODIFICATIONS ON OUTPUT.	161
TABLE E3. CASES THAT GENERATED SIDE WARNING MESSAGE # 65.	162
TABLE G1. VITAMIN A - ESTIMATED REGRESSION COEFFICIENTS AND ASSOCIATED LEVEL OF SIGNIFICANCE, INCOME ADEQUACY AND EDUCATIONAL ATTAINMENT AS ORDINAL VARIABLES.....	166
TABLE G2. VITAMIN A - ESTIMATED REGRESSION COEFFICIENTS AND ASSOCIATED LEVEL OF SIGNIFICANCE, INCOME ADEQUACY AND EDUCATIONAL ATTAINMENT AS ORDINAL VARIABLES. FOOD SECURITY HAS BEEN REMOVED FROM THE MODEL.....	167
TABLE G3. MAGNESIUM - ESTIMATED REGRESSION COEFFICIENTS AND ASSOCIATED LEVEL OF SIGNIFICANCE,	

INCOME ADEQUACY AND EDUCATIONAL ATTAINMENT AS ORDINAL VARIABLES.....	168
TABLE G4. MAGNESIUM - ESTIMATED REGRESSION COEFFICIENTS AND ASSOCIATED LEVEL OF SIGNIFICANCE, INCOME ADEQUACY AND EDUCATIONAL ATTAINMENT AS ORDINAL VARIABLES. FOOD SECURITY HAS BEEN REMOVED FROM THE MODEL.....	169
TABLE G5. CALCIUM - ESTIMATED REGRESSION COEFFICIENTS AND ASSOCIATED LEVEL OF SIGNIFICANCE, INCOME ADEQUACY AND EDUCATIONAL ATTAINMENT AS ORDINAL VARIABLES.....	170
TABLE G6. CALCIUM - ESTIMATED REGRESSION COEFFICIENTS AND ASSOCIATED LEVEL OF SIGNIFICANCE, INCOME ADEQUACY AND EDUCATIONAL ATTAINMENT AS ORDINAL VARIABLES. FOOD SECURITY HAS BEEN REMOVED FROM THE MODEL.....	171
TABLE H1. PROPORTION OF SMOKERS AND NONSMOKERS, BY DRI GROUP	172
TABLE I1. NUMBER OF MISSING VALUES FOR PREDICTOR VARIABLES IN EACH SUBSAMPLE.	173
TABLE J1. INCOME-RELATED HOUSEHOLD FOOD SECURITY, BY LOCAL HEALTH INTEGRATION NETWORK (LHIN), ONTARIO, 2004.....	176
TABLE K1. PROVINCIAL HEALTH UNITS AND THE 7 HEALTH PLANNING REGIONS OF ONTARIO.....	178

List of Appendices

Appendix A. Household Food Security Survey Module Questionnaire.....	147
Appendix B. Definitions of Key Variables	152
Appendix C. Definitions of Dietary Reference Intakes	159
Appendix D. Number of Second Dietary Recalls, by DRI Group	160
Appendix E. Troubleshooting Software for Intake Distribution Estimation (SIDE)	161
Appendix F. Equations for Calculation of Total Energy Expenditure (TEE)	163
Appendix G. Preliminary Regression Results for Nutrient Analyses	165
Appendix H. Proportion of Smokers in the Ontario sample, by DRI Group	172
Appendix I. Details of Missing Values for Regressions of Weight Status	173
Appendix J. Variation in Income-Related Household Food Security at the level of Local Health Integration Network (LHIN)	174
Appendix K. Provincial Health Units and the Seven Health Planning Regions of Ontario	178

List of Abbreviations

AI	Acceptable Intake
AMDR	Acceptable Macronutrient Distribution Range
AMPM	Automated Multiple-Pass Method
BMI	Body Mass Index
CA	Census Agglomeration Area
CCHS	Canadian Community Health Survey
CCHS 2.2	Canadian Community Health Survey, Cycle 2.2 (2004)
CI	95% Confidence Interval
CIHI	Canadian Institute for Health Information
CMA	Census Metropolitan Area
D	Day
DFE	Dietary Folate Equivalents(s)
DRI	Dietary Reference Intake
EAR	Estimated Average Requirement
EER	Estimated Energy Requirement
g	Gram(s)
HFSSM	Household Food Security Survey Module
kcal	Kilocalorie
kg	Kilogram(s)
LHIN	Local Health Integration Network(s)
m	Metre(s)
µg	Microgram(s)
mg	Milligram(s)
NE	Niacin Equivalent(s)
NS	Not Statistically Significant
OFS	Ontario Food Survey
OR	Odds Ratio (from a logistic regression analysis)
PA	Physical Activity Coefficient
PAL	Physical Activity Level (or Physical Activity Index)
R ²	Coefficient of Determination
RAE	Retinol Activity Equivalents(s)
RDA	Recommended Dietary Allowance
RE	Retinol Equivalent(s) (old unit of measure)
SAS®	Statistical Analysis Software (program)
SD	Standard Deviation
SEM	Standard Error of the Mean
SIDE	Software for Intake Distribution Estimation
TEE	Total Energy Expenditure
UL	Tolerable Upper Intake Levels
U.S.	United States
USDA	United States Department of Agriculture